



5
A
M
M






Tail Boom Cover Make 2


Optional Fin Shape
Classic Funder n' Lightning




17.50"

Tailbooms
1/4" x 3/8" x 16.5" Spruce






U.S. AIR FORCE
U.S. MARINES




U.S. AIR FORCE
U.S. MARINES




12.00"


Optional




Receiver Typical

ESC Typical










— Carbon Fiber Rod
or Carbon Arrow Shaft
~.25"





Slippee!


Slippee!



THUNDERBIRD
18
18TH ANNUAL CONFERENCE


Thunderbird

400XT, 400DF



Optional Kline-Fogelman Airfoil
Double foam thickness





17.50"

Specs:


- Wingspan 35in/889mm
- Length 22in/559mm
- AUW: 12.6 ounces/357gr
- WOT: 12.5 (w/APC 8x6SF)
- Thrust: 13.9 ounces/394gr

Setup:

- Hobby Lobby 40
 - APC 8x6SF / G
 - Thunder Power
 - E-flite 20 amp s
 - (3) Hitec HS-55
-



400XT outrunner
WS 9x5 HD
3S 1320 LiPo
speed controller
servos

Single Thickness
Optional Double





s Fuselage Or
Thickness Fuselage



Funder

Design Copyright 2


Original Build Thread At RCGROUPS.COM <http://www.rcgroups.com>

Drawing Rev.

4 5 6

Date

Lightning



007 YarSmytheJr / Lee Ray

www.rcgroups.com/forums/showthread.php?t=705899&pp=50

Drawing Courtesy of Kevin Ross
MadCat Multimedia 2008 All Rights Reserved